

Model PH-44 Headset




The PH44 headset is a super lightweight, dual-sided headset for the ultimate in day long comfort. The PH-44 features high quality dynamic earphones with a dynamic noise cancelling microphone on an adjustable boom that can be bent to practically any mouth-to-mic position. The unit has a straight cord and is available in various connector configurations.

Parts List

Item	Description	Qty.	Part No.
1	Windscreen	1	F.01U.163.625
2	PT-Pan Head Screw, KA15 x 6 (.236) LG, Black	4	F.01U.109.816
3	Glider Spring	2	F.01U.110.016
4	Housing Assy	1	F.01U.131.051
5	Housing Assy	1	F.01U.110.029
6	Glider Assy	2	F.01U.110.031
7	Cord Unit	1	F.01U.152.069
8	P.C. Board	1	F.01U.152.611
9	Boom Mic/Housing Assy	1	F.01U.110.453
10	Headband Assy	1	F.01U.110.038
11	Housing, Rear	1	F.01U.110.454
12	Ear Cushion	2	F.01U.109.819
13	Connector, PH-44, XLR-4F	1	F.01U.109.182
	Connector, PH-44R, XLR-4M	1	F.01U.146.871
	Connector, PH-44R5, XLR-5M	1	F.01U.146.873
	Connector, PH-44A5, XLR-5F	1	F.01U.109.183




Exploded View





Specifications

Receiver Type.....	Dynamic
Receiver Impedance.....	300Ω
Microphone Type	Dynamic
Microphone Impedance	200Ω
Weight	5.1 oz (144.58 g)
Cord.....	6 ft (1.83 m), Straight

Wiring Diagram and Connector Wiring



Wiring Diagram



The specification information listed is subject to change without notification.

CUFFIE INTERCOM : LIGHTWEIGHT HEADSETS

PH44 Series

SKU3650860	PH44	CUFFIA INTERCOM CON MICRO/BIAURALE XLR4F/1.8MT
SKU3650861	PH44A5	CUFFIA INTERCOM CON MICRO/BIAURALE XLR5F/1.8MT
SKU3650865	PH44R	CUFFIA INTERCOM CON MICRO/BIAURALE XLR4M X RTS
SKU3650866	PH44R5	CUFFIA INTERCOM CON MICRO/BIAURALE XLR5M X RTS





EC Declaration of Conformity

The undersigned, representing the following manufacturer

Manufacturer

Bosch Security Systems, Inc.

Address:

12000 Portland Avenue South, Burnsville MN 55337 USA

Authorized Representative:

EVI Audio GmbH, Hirschberger Ring 45, D-94315, Straubing, Germany

hereby declares that the following product(s)

Headset Models PH-44, PH-44R, PH-44A5, PH-44R5, PH-44-IC3, PH-44PT, P/N 300853

is (are) in conformity with the regulations of the following marked EC-directive(s)
and bear(s) the **CE** mark accordingly

	reference number	title
<input checked="" type="checkbox"/>	2004/108/EC	EMC Directive (EMC)
<input checked="" type="checkbox"/>	2006/95/EC	Low-Voltage Directive (LVD)
<input type="checkbox"/>	89/106/EC	Construction Products Directive (CPD)
<input type="checkbox"/>	1999/5/EC	Radio equipment and Telecommunications Terminal Equipment (R&TTE), according to annex V
<input type="checkbox"/>	94/9/EC	Electrical Apparatus for Potentially Explosive Atmospheres (ATEX), according to annex IV and VII

The conformity of the product(s) with (above ticked) EC directives is provided by the compliance with the following standard(s):

Standard(s) / date

IEC 60065: 2001 (7th edition) + Amd 1: 2005

EN 60065: 2002 + Amd 1: 2006

EN 61000-6-1:2001 and Amendments


4-2:95+A1:98+A2:01, 4-3:02, 4-4:04, 4-5:95+A1:01, 4-6:96+A1:01, 4-8:93+A1:01, 4-11:04

Place, date:

Burnsville, MN, May 5, 2009


Manager, Business Line

Printed name:
Ralph Strader

 ST-CEILING 2
R + D Manager, Business Line

Printed name:
Talal Aly-Youssef