



NEXT DAY DELIVERY AVAILABLE







FREE STANDARD UK DELIVERY ON ALL ORDERS OVER £100

INDUSTRY LEADING CUSTOMER SERVICE

FREE TECHNICAL SUPPORT FROM OUR TEAM OF EXPERTS

Categories

- Audio and data connectors
- Video and RF connectors
- Power connectors, distribution and batteries
- Connection panels and stageboxes
- Fibre optic cables, connectors and interfaces
- Cable assemblies, patchcords and leads
- Cables
- Cabling accessories and tools
- Bags and cases
- Racks and enclosures
- Rack accessories and hardware
- Lights, clocks, furniture, fittings and equipment supports
- Drives, memory, media, labelling and sound effects
- Microphones
- Radio Microphones
- Microphone supports, amplifiers, powering and accessories
- Headphones, headsets, earpieces, amplifiers and wireless systems
- Hearing protection and noise control
- Record, replay and radio receivers
- Audio interfacing
- Video interfacing, processing, monitoring and camera accessories
- Audio mixers and processing
- Amplification
- Loudspeakers and audio monitoring
- Test and measurement
- Communications, conferencing and datacoms

-  By brand
-  Index
-  New products
-  Special offers
-  Clearance list
-  Remainder list

CANARE 20DV VIDEO JACKFIELD With DVJB-S modules



 [Datasheet Print/PDF](#)
 [Ask a question](#)

Stock code

48-3040

Brand

Canare

Model number

20DV



24DV

Image may be provided for illustrative purposes only, please refer to the product description.

CANARE WECO 3Gb/s 1080p HDTV VIDEO JACKFIELDS

Canare video jackfields are "Western Electric" (also known as WECo) style, widely used worldwide, which use enclosed jack-pair modules with internal micro-switches. They pass uncompressed, 1080p HDTV video up to 3Gb/s (SMPTE424M).

To minimise dust and dirt ingress, the jack pairs are housed in rugged diecast aluminium clam-shell housings, and incorporate hermetically sealed, double reverse-action micro-switches mounted on a screened PCB and rated 30,000 operations. Two precision 75 ohm metal-film resistors offer near perfect signal-path termination. Jack modules are secured by front-panel screws, permitting simple module exchange. Modules have a manufacturer's lifetime guarantee.

Two jack modules are available. **DVJB-W** is "normal through", which provides a normalled route between top and bottom jacks. On inserting a patchcord plug into either top or bottom jack, the disconnected circuit is automatically terminated into a 75 ohm load. **DVJB-S** is "straight through", which is effectively two single jacks in one housing, each terminated with a 75 ohm load until a jack plug is inserted. This module is useful for bringing up auxiliary equipment on a central jackfield location. From the front, the modules can be distinguished apart as the **DVJB-S** type have a slightly serrated jack ring. From the rear, **DVJB-W** are coded blue, **DVJB-S** are green.

Jackfields are available in 1U (high density format) in 2 x 20, 2 x 24 and 2 x 26 configurations, together with 2U (standard format) in 2 x 24 and 2 x 26. 2U types feature extra-large designation strip. Jackfields are supplied as standard either with **DVJB-W** or with **DVJB-S** modules, however component parts (front panels, jack modules) are available separately to enable users to make up mixed configuration panels. Jackfields do not have lacing bars.

Suitable 75 ohm flexible patchcords VPC-WC are available in three lengths, using black cable as standard, and with black strain-relief sleeves on the connectors. Other lengths and colours are available to special order, subject to a minimum quantity of 10 pieces of each type.

Patchcord plug to BNC socket adapters **BCJ-VWP** are also available, to enable cables terminated with BNC plugs to be directly patched into the jackfield.

Technical Specification:

SMPTE 292M & 424M Standards





















































































SMPTE 292M is a standard published by SMPTE which allows for bit-rates of 1.485 Gb/s, and 1.485/1.001 Gb/s. These bit-rates are sufficient for to transport uncompressed High Definition video. This standard is usually referred to as HD-SDI and is one of a number of standards that define a Serial Digital Interface based on a coaxial cable, intended to be used for the transport of uncompressed digital video and audio in a television studio environment. SMPTE 424M develops SMPTE292M allowing for bit-rates of 2.970 Gb/s and 2.970/1.001 Gb/s over a coaxial cable or connector panel. These bit-rates are sufficient for uncompressed 1080p video at 50 or 60 frames per second often referred to as 3G HDTV.

The stipulated interface condition (cable & connector) are:

SMPTE 292M - insertion loss 20dB or less at 750MHz - return loss 15dB or less at 1.5GHz.

SMPTE 424M - insertion loss 20dB or less at 1.5GHz - return loss 15dB or less at 1.5GHz and 10dB or less at 3.0GHz.

Note that although the MUSA and WECo systems are visually similar, they are not compatible with each other.

Description		Price £ ex. VAT	Add to basket Delivery
	CANARE 20DV VIDEO JACKFIELD With DVJB-W modules Stock code: 48-370 Please login for stock availability and lead times.	1+ £679.00 10+ £662.00	<input type="text" value="1"/>   
	CANARE 24DV VIDEO JACKFIELD With DVJB-W modules Stock code: 48-371 Please login for stock availability and lead times.	1+ £770.00 10+ £751.00	<input type="text" value="1"/>   
	CANARE 26DV VIDEO JACKFIELD With DVJB-W modules Stock code: 48-372 Please login for stock availability and lead times.	1+ £816.00 10+ £796.00	<input type="text" value="1"/>   
	CANARE 24DV-2U VIDEO JACKFIELD With DVJB-W modules Stock code: 48-373 Please login for stock availability and lead times.	1+ £826.00 10+ £805.00	<input type="text" value="1"/>   
	CANARE 26DV-2U VIDEO JACKFIELD With DVJB-W modules Stock code: 48-374 Please login for stock availability and lead times.	1+ £872.00 10+ £850.00	<input type="text" value="1"/>   
	CANARE 20DV VIDEO JACKFIELD With DVJB-S modules Stock code: 48-3040 Please login for stock availability and lead times.	1+ £677.00 10+ £660.00	<input type="text" value="1"/>   
	CANARE 24DV VIDEO JACKFIELD With DVJB-S modules Stock code: 48-3041 Please login for stock availability and lead times.	1+ £766.00 10+ £747.00	<input type="text" value="1"/>   
	CANARE 26DV VIDEO JACKFIELD With DVJB-S modules Stock code: 48-3042 Please login for stock availability and lead times.	1+ £811.00 10+ £791.00	<input type="text" value="1"/>   
	CANARE 24DV-2U VIDEO JACKFIELD With DVJB-S modules Stock code: 48-3043 Please login for stock availability and lead times.	1+ £820.00 10+ £799.00	<input type="text" value="1"/>   
	CANARE 26DV-2U VIDEO JACKFIELD With DVJB-S modules Stock code: 48-3044 Please login for stock availability and lead times.	1+ £864.00 10+ £842.00	<input type="text" value="1"/>   
	CANARE DVJB-W VIDEO JACKFIELD MODULE Stock code: 48-397 Please login for stock availability and lead times.	1+ £27.06 10+ £26.38	<input type="text" value="1"/>   
	CANARE DVJB-S VIDEO JACKFIELD MODULE Stock code: 48-398 Please login for stock availability and lead times.	1+ £27.06 10+ £26.38	<input type="text" value="1"/>   
	CANARE VJ2-V20-1U VIDEO JACKFIELD PANEL Unpopulated Stock code: 48-375 Please login for stock availability and lead times.	1+ £175.20 10+ £170.90	<input type="text" value="1"/>   
	CANARE VJ2-V24-1U VIDEO JACKFIELD PANEL Unpopulated Stock code: 48-376 Please login for stock availability and lead times.	1+ £168.70 10+ £164.50	<input type="text" value="1"/>   
	CANARE VJ2-V26-1U VIDEO JACKFIELD PANEL Unpopulated Stock code: 48-377 Please login for stock availability and lead times.	1+ £164.30 10+ £160.20	<input type="text" value="1"/>   
	CANARE VJ2-V24-2U VIDEO JACKFIELD PANEL Unpopulated Stock code: 48-378 Please login for stock availability and lead times.	£220.20 Clearance £50.00	<input type="text" value="1"/>   
	CANARE VJ2-V26-2U VIDEO JACKFIELD PANEL Unpopulated Stock code: 48-379 Please login for stock availability and lead times.	1+ £216.90 10+ £211.50	<input type="text" value="1"/>   
	CANARE VPC003-WC VIDEO PATCHCORD 300mm Stock code: 48-391 Please login for stock availability and lead times.	1+ £21.91 10+ £21.36	<input type="text" value="1"/>   
	CANARE VPC005-WC VIDEO PATCHCORD 500mm Stock code: 48-392 Please login for stock availability and lead times.	1+ £21.91 10+ £21.36	<input type="text" value="1"/>   
	CANARE VPC01-WC VIDEO PATCHCORD 1000mm Stock code: 48-393 Please login for stock availability and lead times.	1+ £23.00 10+ £22.43	<input type="text" value="1"/>   
	CANARE BCJ-VWP BNC ADAPTER Stock code: 48-396 Please login for stock availability and lead times.	1+ £8.76 10+ £8.54	<input type="text" value="1"/>   

Order

[VAT](#) / [Delivery](#)

£677.00

each (ex. VAT)

10+ £660.00



Add to basket

Assembled to order, cancellations may incur charges, available in 2-3 weeks.
Need it sooner? [Call us](#)

RoHS Status

 Compliant

Find similar

MUSA, microMUSA and WECo video ... 12

Canare 24

Canare video patch panels 2

Digital video patch panels 3

Patch panels, video 8

SDV patch panels 3

Video patch panels 8

WECo style patch panels 3



About Canford
About Canford
Meet the team

Orders & delivery
Ordering information
Delivery & Returns

Resources
TechZone
RoHS & WEEE

Website information
Copyright & security
Conditions of website use

Canford Audio Limited, Crowther Road, Washington, NE38 0BW, UK

UK Sales 0191 418 1122
International Sales +44 191 418 1133

Canford Audio Limited is registered in England and Wales
Company registration no: 1385727
VAT no: GB 660116371



Cookie consent

This site uses cookies to store information on your computer. By continuing we assume your permission to store cookies, as detailed in our [privacy policy](#).

