

75 ohm Single Video Patchbay

Introducing true 12G-SDI video patching system: originally designed single jacks loaded 2x32 1RU/1.5RU/2RU panels, snappy looping plug, flexible patch cords, and 12G termination plug. This MUSA style patchbays exceed 4K/8K UHD requirements.

— Key Features and Benefits

- 12G-SDI: SMPTE ST 2082-1 compliant
- Return loss performance: 15dB@12GHz
- 40% lighter than 32MCK-ST/32MD-ST
- 32 channels of I/O into 1 RU or 1.5RU
- Canare original hassle-free patching design
- Staggered BNC rear jacks
- Can be recessed 25 mm.
- Included a sheet of channel designator for easy identification

Note: Be sure to use with Canare Single Video Patch Cords.

[For inquiries about this products](#)



32SVK-ST


[Tech Data](#)

[Downloads](#)

// Patchbays 12G-SDI

Type	Model	Panel Size	Loaded Video Jacks	Standard package
	32SVK-ST	1 RU	32 x SVJK-L 32 x SVJK-S	1 pc
	32SVK-ST-1.5U	1.5 RU	32 x SVJK-L 32 x SVJK-S	1 pc

Click to refer the [ordering information](#).



Return Loss & Isolation

Model	SVJK-S, SVJK-L	SVP-TK	SVP-ULK
@ 3 GHz	26 dB or greater	25 dB or greater	20 dB or greater
@ 6 GHz	20 dB or greater	20 dB or greater	15 dB or greater
@ 12 GHz	15 dB or greater	10 dB or greater	10 dB or greater

// Single Video Jacks

Type	Model	Description	Rear Jack	Standard package
NO IMAGE	SVJK-L	Long type	BNC	1 pc
NO IMAGE	SVJK-S	Short type	BNC	1 pc

// Single Video Plug





Type	Model	Suitable Cable	Boot	Die Set	Standard package
NO IMAGE	SVP-C25HW	L-2.5CHWS	CB02	TCD-D253F	1 pc

// U-link and Termination Plugs

Type	Model	Description	Standard package
NO IMAGE	SVP-ULK	U-link/Looping plug	1 pc
NO IMAGE	SVP-TK	Termination plug	20 pcs

// Accessories

Type	Model	Description	Standard package
NO IMAGE	SVPC**	Canare SV patch cords	1 pc
	BET-BNC	BNC extraction tool	1 pc
NO IMAGE	PH50A	Patch cord holder for SVPC**	1 pc
NO IMAGE	SVJK-DC	Dust cap for SVJK (black)	10 pcs
NO IMAGE	MJ2-M32-*U-***	Unloaded panels	1 pc



Product Specifications

1. Product Name 12G-SDI EIA 1.5U(32ch)Video Patchbay

2. Model Name

Model Name	Panel Color
32SVK-ST-1.5U	Black


3. Specification

Configuration	As shown in Fig LL464E
Applicable Standards	ANSI/EIA-310-D 1.5RU 19x2.63in (482.6x66.7mm)
Designation Strips	Size : 426 x 16.7mm x t0.2 Channel Pitch: 12.7mm
Jack loaded	SVJK-S, SVJK-L 32pcs. each
Environment	RoHS2 Category 11 Compliant
Accessories 1	Number Label 1pcs. Metric screws set for Rack Mount <ul style="list-style-type: none"> • Cross recessed binding head, M5x15, 4pcs. • Plain Washers, 4pcs. Inched screws set for Rack Mount <ul style="list-style-type: none"> • Cross recessed cheese head, #10-32UNF, 4pcs. • Plain Washers, 4pcs.
Accessories 2	Dust Cap, Model Name SVJK-DC(10), 7 packs(70pcs.)
Weight	NET/Only product : 2.4kg GROSS/Product in Carbon Box: 3.3kg
Packing method	After packing the product in a plastic bag, wrap one by one in Carton box with the accessories.
Dimensions	580 x 195 x 118mm

4. Quality Requirements

Item	Requirement	Sample
Appearance	No significant scratches or stains.	Full
Structure	Assembled correctly as per its drawing. Each part shall be built without any looseness.	Full
Dimensions	Meeting the dimensions shown in the drawing.	Sampling
Accessories	No missing. There is no mistake in quantity.	Full

END



8	Label	A-NP31	1	Aluminum tape
7	Single Video Jack	SVJK-AP	32	CANARE /Cross countersunk head M3x10 SUS
		SVJK-L	32	CANARE
		SVJK-S	32	CANARE
6	Card Rail	M-DSR01	2	Alloy Steel (black) /A-SM25N (Cross countersunk head M2.5x6)
	Card Cover	M-DSC01	2	PC (clear)
	Card	M-DSK01	2	426x6.2 t0.2
5	Bracket	M-MA1U03	1	Alloy Steel (black) t2.3 /Cross binding head M3x6 Fe/Zn/CM (black)
4	Bracket	M-MA1U01	1	Alloy Steel (black) t2.3 /Cross binding head M3x6 Fe/Zn/CM (black)
3	Reinforcement	M-FP02	2	Alloy Steel (black) t1.0 /Cross countersunk head M3x5 Fe/Ni
2	Side Panel	M-SP1U01	2	Alloy Steel (black) t2.3
1	Connector Panel	M-CP1UV10	1	Nylon (black) /Cross countersunk head M3x8 Fe/Zn/CM (black)
ITEM	DESCRIPTION	P/N	QTY.	REMARKS

<Accessories>

Cross recessed binding head M5x15 Ep-Fe/Zn/CM black 4 pcs.
 Plain Washers 5x12x1 Polycarbonate clear 4 pcs.
 Number Label A-NP01 yellow(1~32) 1 pcs.
 Dust Cap SVJK-DC black 70 pcs.

図名	EIA 1U (32ch) VIDEO PATCHBAY	図法		単位	mm	尺度	1:2	許容差	—	日付	2019-07-26	Ver	Ver 1.0	型名	32SVK-ST	図番	LL462E
----	---------------------------------	----	--	----	----	----	-----	-----	---	----	------------	-----	---------	----	----------	----	--------

CANARE

Product Specifications

1. Product Name 12G-SDI EIA 1.5U(32ch)Video Patchbay

2. Model Name


Model Name	Panel Color
32SVK-ST-1-1.5U	Brown
32SVK-ST-2-1.5U	Red
32SVK-ST-3-1.5U	Orange
32SVK-ST-4-1.5U	Yellow
32SVK-ST-5-1.5U	Green
32SVK-ST-6-1.5U	Blue
32SVK-ST-7-1.5U	Purple
32SVK-ST-8-1.5U	Grey
32SVK-ST-9-1.5U	White

3. Specification

Drawing	LL465E
Applicable Standards	ANSI/EIA-310-D 1.5RU 19x2.63in (482.6x66.7mm)
Designation Strips	Size : 426 x 16.7mm x t0.2 Channel Pitch: 12.7mm
Jack loaded	SVJK-S, SVJK-L 32pcs. each
Environment	RoHS2 Category 11 Compliant
Accessories 1	Number Label 1pcs. Metric screws set for Rack Mount <ul style="list-style-type: none"> • Cross recessed binding head, M5x15, 4pcs. • Plain Washers, 4pcs. Inched screws set for Rack Mount <ul style="list-style-type: none"> • Cross recessed cheese head, #10-32UNF, 4pcs. • Plain Washers, 4pcs.
Accessories 2	Dust Cap, Model Name SVJK-DC(10), 7 packs(70pcs.)
Weight	NET/Only product : 2.4kg GROSS/Product in Carbon Box: 3.3kg
Packing method	After packing the product in a plastic bag, wrap one by one in Carton box with the accessories.
Dimensions	560 x 195 x 118mm

4. Quality Requirements

Item	Requirement	Sample
Appearance	No significant scratches or stains.	Full
Structure	Assembled correctly as per its drawing. Each part shall be built without any looseness.	Full
Dimensions	Meeting the dimensions shown in the drawing.	Sampling
Accessories	No missing. There is no mistake in quantity.	Full



<Model>

32SVK-ST-*

Connector Panel Color
 1: brown 4: yellow 7: purple
 2: red 5: green 8: gray
 3: orange 6: blue 9: white

ex) 32SVK-ST-5
 Front Panel Color : green

<Accessories>

Cross recessed binding head M5x15 Ep-Fe/Zn/CM black 4 pcs.
 Plain Washers 5x12x1 Polycarbonate clear 4 pcs.
 Number Label A-NP01 yellow(1~32) 1 pcs.
 Dust Cap SVJK-DC black 70 pcs.

8	Label	A-NP31	1	Aluminum tape
7	Single Video Jack	SVJK-AP	32	CANARE /Cross countersunk head M3x10 SUS
		SVJK-L	32	CANARE
		SVJK-S	32	CANARE
6	Card Rail	M-DSR01	2	Alloy Steel (black) /A-SM25N (Cross countersunk head M2.5x6)
	Card Cover	M-DSC01	2	PC (clear)
	Card	M-DSK01	2	426x6.2 t0.2
5	Bracket	M-MA1U03	1	Alloy Steel (black) t2.3 /Cross binding head M3x6 Fe/Zn/CM (black)
4	Bracket	M-MA1U01	1	Alloy Steel (black) t2.3 /Cross binding head M3x6 Fe/Zn/CM (black)
3	Reinforcement	M-FP02	2	Alloy Steel (black) t1.0 /Cross countersunk head M3x5 Fe/Ni
2	Side Panel	M-SP1U01	2	Alloy Steel (black) t2.3
1	Connector Panel	M-CP1UV11	1	Nylon (Color: *) /Cross countersunk head M3x8 Fe/Zn/CM (black)
ITEM	DESCRIPTION	P/N	QTY.	REMARKS

図名	EIA 1U (32ch) VIDEO PATCHBAY	図法		単位	mm	尺度	1:2	許容差	-	日付	2019-07-26	Ver	Ver 1.0	型名	32SVK-ST-*	図番	LL463E
----	---------------------------------	----	--	----	----	----	-----	-----	---	----	------------	-----	---------	----	------------	----	--------