

Pedestals

Pedestal P40

Comm. Code: P040

[Add To Wishlist](#)

[Find a Dealer](#)

Share on [Facebook](#) [Twitter](#) [LinkedIn](#) [Pinterest](#) [Instagram](#) [YouTube](#)



Description

Combines perfect balance and on-shot movement for ob & lightweight studio environment, with payloads up to 45kg /100 lbs. This rugged yet lightweight support with large height range, is ideal for newsrooms, sports or ptz configuration.

Central pneumatic column

The hexagonal shape guarantees smooth and precise vertical movements and includes an air pressure gauge, a locking brake and a safety air pressure valve.

Sturdy foldable dolly

Features three twin wheels (125mm diameter-4,92 in) lockable in six tracking positions plus a foot operated brake on each wheel & cable guards to provide smooth movements in any desired direction.

Flexible mounting & easy set up

The P40 can be mounted on tracks of 620 mm pace with a skating wheel group. The air pressure inside the column can be set manually and adjusted to suit the exact weight of the head and camera configuration. It can be set up or disassembled fast and easy, the steering wheel has a fast lock attachment and the platform interfaces with a variety of optional head adapters.

Technical Data

Weight	23.2 kg / 51 lbs
Maximum Payload Capacity	45 kg / 100 lbs
Temperature Range	-20° /+60° Celsius
Maximum Pressure	10 atm / 147 psi
On-Shot Stroke	471mm / 18,50 in
Wheel Diameter	125 cm / 49"
Minimum Height	71 cm / 28"
Maximum Height	157 cm / 62"
Doorway Tracking Width Minimum	75 cm / 30"



CARTONI

P40

MADE IN ITALY

P40001

DRAG







