Product	News	Applications Cases	Where to Buy	Support	About us & Contact	Log-in ▶
e > Lighting > Bow	ens					
- <b>150E</b>   150V	V Bowens Mount	COB LED Light				
			> 150W ul	tra bright 5600K COE	3-LED	
			> 27290Lu	ux @ 1m with reflecto	or	
		SWIT E-	> CRI Ra 9	97, TLCI 98		
	101	BL 1508	> Standard	l Bowens Mount, vario	ous accessories	
			> 0-100%	flick-free dimming		
		ar anna an	> 9 preset	s light effects with sp	eed adjustment	
	THE SECTION	14	> DMX512	2 5pin XLR input & out	tput	
	Delle a		<ul> <li>LCD disp</li> </ul>	lay dimmer, light effe	ct and DMX	
			> PowerC	ON AC Power		
			<ul> <li>Support</li> </ul>	IOS/Android APP con	trol	
Features Specific	cations Downloa	ad What's in box Opti	onal accessory Relate		' Shipping	
				u		
						1
					14 000	(A)
Bowens (	COB-LED Li	ght N			tins/	
						0
BL-150E is a Bov	wens mount 150W	COBLED				
light, with DMX c	control, high CRI/TL	CI, accurate				
color performanc	e, and various Bow	ens	Vanantisse			

00:00 / 00:00

accessories for broadcast studio, mobile studio,

live streaming studio applications.



#### 27290Lux @1m Ultra Bright


BL-150E adopts ultra bright 150W COB-LED, 5600K daylight only, provides 27290Lux illuminance at 1 meter distance with standard reflector.

BL-150E	1 meter	3 meters	5 meters
Light only	4400Lux	570 Lux	240Lux
With Reflector	27290Lux	3550Lux	1470Lux

## **Accurate Color Render**

CRI 97; TLCI 98

The normal LED light has 80-85 CRI or TLCI, while BL-150E offers the super high CRI at 97 and TLCI at 98, and will not shift the object original colors under light.



				Sector	Lightness	Chroma	Hue
				R	0	0	0
				R/Y	0	0	0
				Y	0	0	0
				Y/G	0	0	0
			and a second	G	0	0	0
_				G/C	0	0	+
				С	0	0	0
				C/B	0	0	0
				в	0	-	0
				B/M	0	0	+
				M	0	0	+
	-	_	 	M/R	0	0	+



## **Integrated Control Panel**

AC Only, DMX IN & OUT

BL-150E has equipped all interfaces on the rear panel of the light, including PowerCON AC input, 5-pin DMX in & out, control buttons and LCD display, light weight and quick installation.

# Various Bowens Accessories

BL-150E provides various Bowens mount light shape accessories, including quick setup octagonal softbox, lantern softbox, parabolic dome softbox, and beauty dish, snoot, fresnel lens ect, for optional purchase.

















BA-F3X Fresnel Lens

**BA-OCT36** Octagonal Softbox

BA-LAN26 Lantern Softbox

**BA-PARA26** Parabolic Softbox

BA-BD16 **Beauty Dish** 



# **9x Light Effects**

BL-150E has built-in 9x demo effects, including the commonly used car lights, candles, lightning, flash light effects, for creative productions.







Lightning1 Lightning2 Screen





R

Flash

Strobe


Car light Alarm Breath

**Smart Phone APP Control** 

IOS and Android

BL-150E and its series model BL-200, BL-300, can be connected to smart phone by bluetooth, and you can rename and group the lights, adjust dimmer, select light effects, and sync the light effect to a music in your device.

IOS APP: App Store, search "DeSal Lite+" Android APP: Download HERE..




#### SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9, 41460 Neuss, NRW Germany VAT: DE308323924 WEEE-Reg.-Nr. DE 37399843 Email: info@swit-europe.com

#### **Email Newsletter**

Please enter Email address below and subscribe our newsletters.



#### leave a message













