


Home > Video Transmitter > Wireless video

## CURVE500+ | HDMI 500ft/150m Wireless with USB capture



- > KUWI 5.1-5.9GHz Wireless Technology
- > DFS Comply
- > HDMI input and loop output
- > USB Video Capture output for PC/Mac
- > 500ft/150m (Line-of-Sight) distance
- > Strong Wall-Cross Performance
- > 2-ch HDMI audio transmission
- > Auto detecting wireless environment and switching
- > Support 7 pairs working in one location
- > Wireless protocol & content double encryption



MSRP Ex TAX / Shipping

[Features](#) [Specifications](#) [Download](#) [What's in box](#) [Optional accessory](#) [Related](#)

### Wireless HDMI Transmission

New Update with USB Video Capture

CURVE500+ wireless system is based on SWIT KUWI wireless video technology, NOT WIFI, 5.1-5.9GHz license free, DFS comply, supports HDMI 1080p60 transmit 500 feet (150 meters) Line-of-Sight distance.

As the updated version, CURVE500+ support USB video capture output to computer for live streaming.



### Input & Output

The Transmitter (Tx) supports  
1x HDMI input  
1x HDMI loop output

The Receiver (Rx) supports  
2x HDMI output  
1x Micro USB Video Capture output

### USB Video Capture for PC/Mac

CURVE500+ Receiver provides an USB port for video capture output to computer. You can find CURVE500+ wireless video source from video conference software like MS Team, ZOOM etc, to capture high quality up to 1080p60 video instead of computer webcam.



### USB Video Capture for PC/Mac

You can pull CURVE500+ wireless receiving video source to OBS studio, editing, switching and live streaming broadcasting.



### 500ft/150m Strong Wall-cross

CURVE500+ supports 500ft/150m (Line-of-sight) reliable wireless transmission, and featured stronger wall-cross performance due to both RF optimize and image quality optimize, so that will keep video transmission without date lost or crash comparing to regular 5GHz wireless transmitters. \* Supports HDMI embedded audio (CH1&2) transmission.



### Backstage Frequency Jumping

CURVE500+ works between 5.1-5.9GHz, DFS comply, and has built-in wireless scanner to detect wireless condition and automatically jump to the best wireless channel to keep reliable connection and transmission.



### Up to 7 Pairs Work Together

At one location, you can use up to 7 pairs of CURVE500+ wireless system, without interference to each other.



### SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,  
41460 Neuss, NRW Germany  
VAT: DE308323924  
WEEE-Reg.-Nr. DE 37399843  
Email: info@swit-europe.com

### Email Newsletter

Please enter Email address below and subscribe our newsletters.

[Privacy Policy](#)

leave a message



# SWIT®

## CURVE 500+

Wireless HDMI 500ft/150m

**UPDATE** USB Video Capture for PC/Mac



### Professional KUWI Wireless Tech Anti-interference, NOT WIFI

CURVE500+ adopts professional KUWI 5GHz wireless tech, NOT WIFI, reliable and anti-interference.

With built-in wireless frequency scanner, the system will automatically jump to a best wireless channel from 5.1 to 5.9GHz, based on current surroundings, to ensure a reliable and anti-interference transmission.

CURVE500+ is DFS complied and CE/FCC certificated.



### 500ft/150m Stronger Wall-Cross 32ms Low Latency, Up to 7 Pairs Work Together

CURVE500+ supports 500ft/150m (Line-of-sight) reliable wireless transmission, 32ms stable low latency, and featured stronger wall-cross performance due to both RF optimize and image quality optimize, so that will keep video transmission without data lost or crash comparing to regular 5GHz wireless transmitters.

At one location, you can use up to 7 pairs of CURVE500+ wireless system, without interference to each other.




### HDMI and USB Video Capture Up to 1080P60

CURVE500+ Transmitter provides HDMI input and loop output for camera monitors, and the Receiver provides 2x HDMI outputs, and USB video capture outputs to PC/Mac for livestreaming.



### UVC Live Streaming Video Conference, OBS Live Production

Besides HDMI output to monitor or switcher, CURVE500+ Receiver USB port can output 1080p60 video to PC/Mac for live streaming productions, which could be used on video conference, online interview, OBS productions, etc.




SWIT Electronics Co., Ltd.  
+86-25-85805753  
<http://www.swit.cc>  
Email: [contact@swit.cc](mailto:contact@swit.cc)

SWIT Electronics America, Inc  
1-(408)260-8258  
<http://www.switusa.com>  
Email: [info@swit.us](mailto:info@swit.us)

SWIT Electronics Europe GmbH  
+49(0)20659799339  
<http://www.swit-europe.com>  
Email: [info@swit-europe.com](mailto:info@swit-europe.com)




Facebook Page



Instagram



























SWIT

Tx

CURVE  
500+

USB

HDMI IN

HDMI LOOP

OFF/ON

7-17V

SWIT

Rx

CURVE  
500+

USB

HDMI OUT1

HDMI OUT2

OFF/ON

7-17V











