


Home > Battery > DV

LB-PD65C | Panasonic VBR59 Series Battery Pack



- Panasonic VBR59/89/118 comparable
- For Panasonic AU-EVA1, AG-DVX200
- For Panasonic AJ-PX230/270, UPX360
- For Panasonic AG-CX350, UX90/180 etc
- 7.2V nominal voltage Li-ion battery
- 65Wh / 9.02Ah capacity
- 30W / 4A constant power load
- Built-in 12V reg. D-tap output
- Built-in 25W USB-C input and output
- 4-level LED power indicator
- Multiple circuit protections



 MSRP Ex TAX / Shipping

Features Specifications Download What's in box Optional accessory Related



65Wh Panasonic VBR59 Battery with D-tap and USB-C

LB-PD65C is a 65Wh large capacity Panasonic AG-VBR59 compatible battery with regulated 12V D-tap output and 25W USB-C in/out, diversity power for camera top devices.

65Wh Large Capacity

LB-PD65C consists of 6pcs battery cells and has 65Wh/9020mAh large capacity to keep your video devices powered for longer time. The constant power load is 30W/4A.

Compatible Panasonic cameras: AU-EVA1, AG-DVX200, AJ-PX230/270/UPX360 AG-CX350, AG-UX90/180, AG-AC30, etc.



Reg. 12V D-tap Output

The LB-PD65C battery provides a D-tap power output socket of regulated 12V voltage, widely compatible with various kinds of video devices.

* The D-tap has 7.2V to 12V (Reg.) conversion and it's not allowed to charge input via this D-tap socket.

USB-C 25W Output

Fast Charging iPhone 12/13

LB-PD65C provides a USB-C sockets, supports 5V 3A, 9V 2.8A, 12V 2.1A, 15V 1.7A, 20V 1.3A, 25W power output to fast charge iPhone 12/13 and all kinds of USB-C smart phones or tablets, with BC1.2, PD2.0/3.0, QC2.0/3.0, FCP, SCP multiple protocols.



USB-C 25W Charging Input

You can also charge LB-PD65C by USB-C charger. Supports PD 5V 3A, 9V 2.8A, 12V 2.1A, 15V 1.7A, 20V 1.3A, 25W power input, which means you can fully charge the 65Wh battery within 3.5 hours.

4-level Power Indicator

Press the power check bottom, the 4-level LEDs indicates remaining power percentage.



4-way Charging

LB-PD65C can be charged by any NP-F charger. Use SWIT LC-D421 4-way charger you can charge 4 batteries simultaneously, and fully charging within 5 hours.

SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,
41460 Neuss, NRW Germany
VAT: DE308323924
WEEE-Reg.-Nr. DE 37399843
Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.

submit

[Privacy Policy](#)

[leave a message](#)

SWIT®

Panasonic VBR59 Compatible Battery With D-tap & USB-C

LB-PD65C 65Wh

P Panasonic VBR59 Style

LB-PD65C is a 65Wh large capacity Panasonic AG-VBR59 replacement DV battery with D-tap and USB-C sockets.



Comparable Batteries

Panasonic AG-VBR59, AG-VBR89G, AG-VBR118G

Compatible Cameras

Panasonic AU-EVA1, AG-DVX200, AJ-PX230/270, AJ-UPX360, AG-CX350, AG-UX90/180, AG-AC30, etc.

12V Reg. D-tap Output



D-tap
12V Reg.

The LB-PD65C battery provides a D-tap power output socket of regulated 12V voltage, widely compatible with various kinds of video devices.

* The D-tap has 7.2V to 12V (Reg.) conversion and it's not allowed to charge input via this D-tap socket.

C USB-C 25W In & Out

iPhone 12/13 Fast Charging

USB-C 25W power output:
5V \Rightarrow 3A, 9V \Rightarrow 2.8A, 12V \Rightarrow 2.1A,
15V \Rightarrow 1.7A, 20V \Rightarrow 1.3A
BC1.2, PD2.0/3.0, QC2.0/3.0,
FCP, SCP multiple protocols

USB-C 25W charging input:
5V \Rightarrow 3A, 9V \Rightarrow 2.8A, 12V \Rightarrow 2.1A,
15V \Rightarrow 1.7A, 20V \Rightarrow 1.3A

You can fully charge the 65Wh battery by USB-C charger within 3.5 hours.



Specifications

Model	LB-PD65C
Voltage	7.2V nominal
Capacity	65Wh, 9020mAh
Power Load	30W, 4A
D-tap	Regulated 12V output, 20W 25W in and 25W out
USB-C	5V/3A, 9V/2.8A, 12V/2.1A, 15V/1.7A, 20V/1.3A BC1.2, PD2.0/3.0, QC2.0/3.0, FCP, SCP
Dimension	41×70×83mm
Weight	0.356g

SWIT Electronics Co., Ltd.
+86-25-85805753
<http://www.swit.cc>
Email: contact@swit.cc

SWIT Electronics America, Inc
1-(408)260-8258
<http://www.switusa.com>
Email: info@swit.us

SWIT Electronics Europe GmbH
+49(0)21316632331
<http://www.switeu.com>
Email: info@swit-europe.com



Facebook Page



Instagram



SWIT® LB-PD65C

Capacity: 7.2V, 9Ah (65Wh) Load: 30W/4A

USB-C IN & OUT: 25W

5V = 3A, 9V = 2.8A, 12V = 2.1A, 15V = 1.7A, 20V = 1.3A

Protocol: BC1.2, PD2.0/3.0, QC2.0/3.0, FCP, SCP

CEUK
CECA
MADE IN CHINA



SWIT ELECTRONICS CO., LTD.



100% 75% 50% 25%

SWIT®

LB-PD65C

USB-C
IN&OUT 25W


D-TAP
12V ▶

D-TAP



SWITT®

LB-PD65C



USB-C
IN&OUT 25W

D-TAP
12V

D-TAP

