Product

Home > Battery > V-mount

PB-C4205 | 420Wh Large Capacity V-mount Battery





- > 250W/20A constant load, 305W peak load
- > 100W/6A fast charging support
- > 2x D-tap power sockets, 150W load
- > 5-LED digital power indicators
- > SONY/RED viewfinder power info display
- > Multiple circuit protections













Related

MSRP

Ex TAX / Shipping



ONE BATTERY, ONE DAY

PB-C420S reaches the world's largest capacity: 420Wh of handheld V-mount battery, long time power supply for cameras, monitors, lights and many power hungry devices of broadcast and film industry.

14.4V, 420Wh, 2x D-tap

PB-C420S consists of 24pcs Li-ion cells, 14.4V nominal voltage, 420Wh, 29.4Ah large capacity, and provides with 2x D-tap sockets at left and right side, for camera-top devices.





Max Load 350W 300W 250W 200W 150W 100W 50W **Battery Capacity**

PB-C420S outputs at least 250W/20A high load even at

250W Constant High Load

1% capacity (Peak load up to 305W), to drive high power Cine cameras and on-camera devices together. The high load cells will also ensure battery life comparing to normal load batteries if long time full load output. Over current protection: 24A.

PB-C420S supports 100W/6A fast charging to

save more than 50% charging time. The 420Wh

100W 6A Fast Charging

battery can be charged from 0 to 80% after 3.9 hours, and fully charged within 5.3 hours.





SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9, 41460 Neuss, NRW Germany VAT: DE308323924 WEEE-Reg.-Nr. DE 37399843 Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.

Privacy Policy

submit



SVIT®

The World's **Largest Capacity** V-mount Battery

PB-C420S 420 Wh



420Wh Large Capacity

Consists of 24pcs Li-ion cells, 14.4V nominal voltage, 420Wh, 29.4Ah large capacity, and provides 2x D-tap sockets for camera top devices.



5-level Power indicator

D-tap 150W/10A

D-tap 150W/10A



250W Constant High Load

PB-C420S outputs at least 250W/20A high load even at 1% capacity (Peak load up to 305W), to drive high power Cine cameras and on-camera devices together. The high load cells will also ensure battery life comparing to normal load batteries if long time full load output. Over current protection: 24A.



100W/6A Ultra Fast Charging

PB-C420S supports 100W/6A fast charging to save more than 50% charging time. The 420Wh battery can be charged from 0 to 80% after 3.9 hours, and fully charged within 5.3 hours.





Specification

Model	PB-C420S
Nominal Voltage	14.4V
Capacity	420Wh, 29.4Ah
Power Load	250W/20A Constant, 305W Peak
D-tap	2× D-tap 150W/10A in total
Charging	DC 16.8V, 6A Max
Size/Weight	155×101×80mm, 2.07kg

SWIT Electronics Co., Ltd.

+86-25-85805753 http://www.swit.cc Email: contact@swit.cc **SWIT Electronics America, Inc** 1-(408)260-8258 http://www.switusa.com Email: info@swit.us

SWIT Electronics Europe GmbH

+49(0)21316632331 http://www.switeu.com Email: info@swit-europe.com





Facebook Page

SWIT





