

Home > Charger/Adaptor > Gold Mount

PC-P430A | 4-ch Gold Mount Fast Charger

- > Gold mount battery charger
- > 4-ch simultaneous charging
- > 3A fast charging per channel
- > 2x 15V/6A 4-pin XLR DC output
- > LED charging indicators



MSRP Ex TAX / Shipping

[Features](#) [Specifications](#) [Download](#) [What's in box](#) [Optional accessory](#) [Related](#)

4-ch Simultaneous Charger

For Gold mount batteries

PC-P430A can charge 4pcs Gold Mount camera batteries simultaneously. The charging output is DC16.8V, 3A each channel.



LED Charging Indicators


The PC-P430A has LED charging indicators on the front panel, indicates the real time capacity of each channel by different colors:

- Display Red: Battery is charging, capacity below 80%;
- Display Yellow: Battery is charging, capacity above 80%;
- Display Green: Charging finished..



AC-DC Adapting Output

PC-P430A has 2x 4-pin XLR female connector on the front panel. Connected with SWIT S-7102 XLR female to male cable (optional purchase), the PC-P430A can be used as AC-DC adaptor of 2-ch DC 15V, 6A, 90W simultaneous output. Please note the AC-DC adapting output will not work when battery is charging.



SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,
41460 Neuss, NRW Germany
VAT: DE308323924
WEEE-Reg.-Nr. DE 37399843
Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.

[Privacy Policy](#)

[leave a message](#)





SWIT[®]

4-ch V-mount Battery Charger

PC-P430A

CH-1



CH-3

CH-2

CH-4

DC OUT 1

DC OUT 2



SWIT®

4-ch V-mount Battery Charger
PC-P430A

CH-1

CH-2

CH-3

CH-4



DC OUT 1

DC OUT 2



SWIT[®]

4-ch V-mount Battery Charger
PC-P430A

CH-1



CH-3



CH-2



CH-4



DC OUT 1



DC OUT 2

