

Home > Battery > V-mount

## S-8082S | 95Wh V-mount Battery Pack



- > Li-ion, 14.4V, 95Wh capacity
- > D-tap output socket
- > 4-level LED power indicator
- > V-mount connection
- > Not restricted by IATA
- > Multiple circuit protections



MSRP Ex TAX / Shipping

Features Specifications Download What's in box Optional accessory Related

### V-mount Camera Battery

S-8082S is the V-mount rechargeable Li-ion battery pack for professional video cameras. It's compact design, smaller in size.




### 95Wh / 6.6Ah Capacity

Consists of 12pcs 18650 battery cells, and reaches 95Wh/6.6Ah high capacity. Run approx 3 hours for normal 30W ENG cameras, and not restricted by IATA air transportation regulations.

### Reliable V-mount Connection

S-8082S is the standard V-mount connection and we adopt the high quality fiber glass V-wedge that ensures the reliable mounting.




### Build-in D-tap DC Output Socket

A D-tap DC output socket is equipped on the top side of S-8082S battery, for DC14.4V (Nominate) connection, such as on-camera lights, monitors, wireless transmitter, etc. The Max Power from D-tap is 120W, 10A.

### 4-level LED Power Indicator

On the side of the battery, there're 4-level LED power indicators to check the battery remaining capacity. You can get a quick view of capacity before using.



#### SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,  
41460 Neuss, NRW Germany  
VAT: DE308323924  
WEEE-Reg.-Nr. DE 37399843  
Email: info@swit-europe.com

#### Email Newsletter

Please enter Email address below and subscribe our newsletters.

[Privacy Policy](#)

[leave a message](#)







