


Home > Charger/Adaptor > DV

S-3602C | 2-ch Canon BP Charger and Adaptor



 MSRP Ex TAX / Shipping

[Features](#) [Specifications](#) [Download](#) [What's in box](#) [Optional accessory](#) [Related](#)



Canon BP series DV battery Charger

S-3602C is a dual channel charger for SWIT S-8845, and compatible with Canon BP series DV batteries.

Dual Channel Simultaneous Charging

S-3602C has 2 charging channels, with DC 8.4V, 1.8A charging output for each channel, and can charge 2 batteries simultaneously. The 4-level LED charging indicators are provided for each channel which indicate the real time capacity by percentage when charging.



AC-DC Adapting Output

S-3602C has 2x 5.5mm/2.1mm pole sockets for DC adapting output. The DC outputs work simultaneously and provides DC 8.4V, 3.5A in total. Optional accessory: S-7500C a dummy Canon BP series battery adaptor for adapting Canon DV cameras, or the equipments with Canon BP series battery mounts.



SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,
41460 Neuss, NRW Germany
VAT: DE308323924
WEEE-Reg.-Nr. DE 37399843
Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.

[Privacy Policy](#)

[leave a message](#)





SWIT®

25% 50% 75% 100%

AC ADAPTOR/CHARGER
S-3602C

ADAPTOR1 ADAPTOR2 POWER

25% 50% 75% 100%

PRIMARY
OUTPUT

SECONDARY
OUTPUT

VOID IF REMOVED
撕毁无效



SWIT
25% 50% 75% 100%
AC ADAPTOR/CHARGER
S-3602C

25% 50% 75% 100%
ADAPTOR1 ADAPTOR2 POWER

PRIMARY
OUTPUT

SECONDARY
OUTPUT



SWIT®

25% 50% 75% 100%

AC ADAPTOR/CHARGER
S-3602C

25% 50% 75% 100%

ADAPTOR1 ADAPTOR2 POWER

PRIMARY
OUTPUT

SECONDARY
OUTPUT

VOID IF REMOVED
請認明商標