

Home > Charger/Adaptor > DV

S-3602V | 2-ch JVC BN-VF Charger and Adaptor



- > Charger for SWIT S-8823 battery
- > 2-ch simultaneous charging
- > Compatible with JVC BN-VF823 DV battery
- > 2 DC adapting output sockets
- > 4-level LED charging indicators



MSRP Ex TAX / Shipping

[Features](#) [Specifications](#) [Download](#) [What's in box](#) [Optional accessory](#) [Related](#)



JVC BN-VF823 DV Charger

S-3602V is a dual channel charger for SWIT S-8823, and compatible with JVC BN-VF823 DV battery.

Dual Channel Simultaneous Charging

S-3602V has 2 charging channels, with DC 8.4V, 1.8A charging output for each channel, and can charge 2 batteries simultaneously. The 4-level LED charging indicators are provided for each channel, which indicate the real time capacity by percentage when charging.



AC-DC Adapting Output

S-3602V has 2x 5.5mm/2.1mm pole sockets for DC adapting output. The DC outputs work simultaneously and provides DC 8.4V, 3.5A in total.

SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,
41460 Neuss, NRW Germany
VAT: DE308323924
WEEE-Reg.-Nr. DE 37399843
Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.

[Privacy Policy](#)

[leave a message](#)

**SECONDARY
OUTPUT**





SWIT®

AC ADAPTOR/CHARGER
S-3802V

25% 50% 75% 100%

25% 50% 75% 100%

ADAPTOR1 ADAPTOR2 POWER

PRIMARY
OUTPUT

SECONDARY
OUTPUT

VOID IF REMOVED
請認明商標

SWIT
Li-ion Battery
S-3802V

SWIT
Li-ion Battery
S-3802V



S-3802V
AC ADAPTOR/CHARGER

ADAPTOR1 ADAPTOR2 POWER

PRIMARY
OUTPUT

SECONDARY
OUTPUT



SWIT®

25% 50% 75% 100%

AC ADAPTOR/CHARGER
S-3602V

PRIMARY
OUTPUT

SECONDARY
OUTPUT

25% 50% 75% 100%

ADAPTOR1
ADAPTOR2
POWER