

Home > Accessories > Cable and Wire

## S-7104 | D-tap to Pole-tap DC Cable

- > Connect with D-tap output power source
- > Output DC via 5.5/2.1mm pole-tap connector



MSRP Ex TAX / Shipping

- [Features](#)
- [Specifications](#)
- [Download](#)
- [What's in box](#)
- [Optional accessory](#)
- [Related](#)

### D-tap Socket Connection

S-7104 has a D-tap plug to connect with battery plate or battery with D-tap output socket and get DC power.



### 2-pin Pole-tap DC Connector

S-7104 outputs DC power via 5.5/2.1mm 2-pin pole-tap connector, with 0.6 meter cable length for connecting with the devices, such as SWIT S-2040 / S-2050 on-camera LED lightings, and S-1051H / S-1051C LCD monitors.

#### SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,  
41460 Neuss, NRW Germany  
VAT: DE308323924  
WEEE-Reg.-Nr. DE 37399843  
Email: [info@swit-europe.com](mailto:info@swit-europe.com)

#### Email Newsletter


Please enter Email address below and subscribe our newsletters.

[submit](#)

[Privacy Policy](#)

[leave a message](#)





Q.C.  
PASSED  
12/18

SWITCH





S-8110S  
14.5V 1.500W  
SMT  
CE  
SMT ELECTRONICS CO., LTD.  
WWW.SMT.CO.



