

Home > Battery > Gold Mount

S-8082A | 95Wh Gold Mount Battery Pack



- > Li-ion, 14.4V, 95Wh capacity
- > D-tap output socket
- > 4-level LED power indicator
- > Gold mount connection
- > Not restricted by IATA
- > Multiple circuit protections



 MSRP Ex TAX / Shipping

Features Specifications Download What's in box Optional accessory Related

Gold Mount Camera Battery

S-8082A is the AntonBauer gold mount rechargeable Li-ion battery pack for professional video cameras. It's compact design, smaller in size.



95Wh / 6.6Ah Capacity

Consists of 12pcs 18650 battery cells, and reaches 95Wh/6.6Ah high capacity. Run approx 3 hours for normal 30W ENG cameras, and not restricted by IATA air transportation regulations.

AntonBauer Gold Mount Connection

S-8082A is compatible with AntonBauer Gold mount type power system and we adopt the high quality connection bolts that ensure the reliable mounting.



Build-in D-tap DC Output Socket

A D-tap DC output socket is equipped on the top side of S-8082S battery, for DC14.4V (Nominate) connection, such as on-camera lights, monitors, wireless transmitter, etc. The Max Power from D-tap is 120W, 10A.

4-level LED Power Indicator

On the side of the battery, there're 4-level LED power indicators to check the battery remaining capacity. You can get a quick view of capacity before using.



SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,
41460 Neuss, NRW Germany
VAT: DE308323924
WEEE-Reg.-Nr. DE 37399843
Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.

submit

[Privacy Policy](#)

[leave a message](#)

Broadcast Camera Li-ion Battery



Gold mount



V-mount



S-8082A/S **95Wh**



S-8110A/S **146Wh**



S-8180A/S **220Wh**

- ◆ D-tap DC output socket
- ◆ 4-level LED power indicator
- ◆ Multiple circuit protections

S-8082A, S-8110A, S-8180A: Gold mount

S-8082S, S-8110S, S-8180S: V-mount

High Load **Fast Charging**

■ Specifications

Model	Battery type	Nominal voltage	Capacity	Max output	Dimension	Weight
S-8082A	Gold mount	14.4V	95Wh/6.6Ah	150W,12A	134×88×54mm	710g
S-8082S	V-mount	14.4V	95Wh/6.6Ah	150W,12A	134×88×52mm	710g
S-8110A	Gold mount	14.4V	146Wh/10.2Ah	150W,12A	165×90×53mm	940g
S-8110S	V-mount	14.4V	146Wh/10.2Ah	150W,12A	165×90×51mm	940g
S-8180A	Gold mount	14.4V	220Wh/15.3Ah	200W,16A	165×90×68mm	1280g
S-8180S	V-mount	14.4V	220Wh/15.3Ah	200W,16A	165×90×66mm	1280g









SWIT®

S-8082A

14.4V 95Wh/6.6Ah Li-ion Battery



SWIT ELECTRONICS CO., LTD.
www.swit.cc