

Home > Battery > V-mount

S-8082S | 95Wh V-mount Battery Pack



- > Li-ion, 14.4V, 95Wh capacity
- > D-tap output socket
- > 4-level LED power indicator
- > V-mount connection
- > Not restricted by IATA
- > Multiple circuit protections



 MSRP Ex TAX / Shipping

[Features](#) [Specifications](#) [Download](#) [What's in box](#) [Optional accessory](#) [Related](#)

V-mount Camera Battery

S-8082S is the V-mount rechargeable Li-ion battery pack for professional video cameras. It's compact design, smaller in size.




95Wh / 6.6Ah Capacity

Consists of 12pcs 18650 battery cells, and reaches 95Wh/6.6Ah high capacity. Run approx 3 hours for normal 30W ENG cameras, and not restricted by IATA air transportation regulations.

Reliable V-mount Connection

S-8082S is the standard V-mount connection and we adopt the high quality fiber glass V-wedge that ensures the reliable mounting.



Build-in D-tap DC Output Socket

A D-tap DC output socket is equipped on the top side of S-8082S battery, for DC14.4V (Nominate) connection, such as on-camera lights, monitors, wireless transmitter, etc. The Max Power from D-tap is 120W, 10A.

4-level LED Power Indicator

On the side of the battery, there're 4-level LED power indicators to check the battery remaining capacity. You can get a quick view of capacity before using.



SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,
41460 Neuss, NRW Germany
VAT: DE308323924
WEEE-Reg.-Nr. DE 37399843
Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.

submit

[Privacy Policy](#)

[leave a message](#)









SWIT®

S-8082S

14.4V 95Wh/6.6Ah Li-ion Battery



SWIT ELECTRONICS CO., LTD.
WWW.SWIT.CC