

Home > Battery > Gold Mount

## S-8152A | 73+73Wh Dividable Gold Mount Battery Pack



- > Divide into 2 parts of 73Wh capacity each (Patent)
- > Not restricted by IATA air transportation regulations
- > Li-ion, 14.4V, 73+73Wh capacity
- > D-tap output socket
- > 4-level LED power indicator
- > Gold mount type connection
- > Multiple circuit protections



MSRP    Ex TAX / Shipping

Features    Specifications    Download    What's in box    Optional accessory    Related

### Large Capacity Battery, IATA Comply

Patented dividable battery design

The IATA DGR regulations restricted the air transportation of over 100Wh Li-ion battery packs. SWIT provides the solution of Dividable Battery to comply with IATA regulations. S-8152A can be divided into 2 parts, and each part contains 73Wh capacity, not restricted by air transportation. And when using S-8152A, just assemble the 2 parts, you can get a Li-ion battery pack of 146Wh large capacity.



Battery Capacity	Carry-on Baggage	Air Cargo Shipping
Under 100Wh	OK	OK
100Wh-160Wh	2pcs per person	Not allowed
Over 160Wh	Not allowed	Not allowed



### 146Wh / 10.2Ah High Capacity

When assembled, the S-8152A consists of 16pcs 18650 battery cells, and reaches 146Wh / 10.2Ah high capacity. S-8152A can run approx 4.5 hours for normal 30W ENG cameras, and has no problem to fly with.

### AntonBauer Gold Mount Connection

S-8152A is compatible with AntonBauer Gold mount type power system and we adopt the high quality connection bolts that ensure the reliable mounting.



### Build-in D-tap DC Output Socket

A D-tap DC output socket is equipped on the top side of S-8152A battery, for DC14.4V (Nominate) connection, such as on-camera lights, monitors, wireless transmitter, etc. The Max Power from D-tap is 100W, 8A.



### 4-level LED Power Indicator

On the side of the battery, there're 4-level LED power indicators to check the battery remaining capacity. You can get a quick view of capacity before using.

### SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,  
41460 Neuss, NRW Germany  
VAT: DE308323924  
WEEE-Reg.-Nr. DE 37399843  
Email: info@swit-europe.com

### Email Newsletter

Please enter Email address below and subscribe our newsletters.

[Privacy Policy](#)

[leave a message](#)



# Separable High-Capacity Batteries -For Safe Air Transportation

## S-8132A/S, S-8152A/S, S-8172A/S, S-8192A/S

### Introduction:

Nowadays, the high capacity batteries are quite necessary for cameramen. But according to the regulations of the International Air Transport Association (IATA), Lithium-ion batteries over 100Wh are restricted for air transportation.

SWIT introduces a new series of separable batteries, with high capacity up to 184Wh, but are safe for air transportation. The battery can be divided into two parts, each one under 100Wh, to meet the IATA air transportation regulation. When using the battery, you may just assemble the two parts to get a high capacity battery.

These series of batteries are manufactured under the quality management program as described in IATA DGR 54th 3.9.2.6(e). They're proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.

According to IATA DGR 54th 2.3.5.9, these batteries are permitted on aircraft as carry on baggage, and they are also suitable for transportation by air cargo, with special package requirement.

### Key Features:

- ◆ High capacity  
-126Wh, 146Wh, 158Wh, 184Wh optional
- ◆ Safe for Air Transportation  
-Unique separable design, each part under 100Wh
- ◆ D-tap power output socket  
-14.4V output, to power external devices
- ◆ 4-level LED power indicator  
-Get a quick view of remaining power before using
- ◆ High load output  
-Max 100W, 8A output
- ◆ Multiple circuit protections  
-Voltage, current, over-charging/discharging, temperature protection



S-8132A/S, S-8152A/S



S-8172A/S, S-8192A/S


### Specifications:

Model	S-8132S	S-8152S	S-8172S	S-8192S	S-8132A	S-8152A	S-8172A	S-8192A
Mount type	V-mount				Gold mount			
Nominal voltage	14.4V							
Capacity	126Wh/8.8Ah	146Wh/10.1Ah	158Wh/11Ah	184Wh/12.8Ah	126Wh/8.8Ah	146Wh/10.1Ah	158Wh/11Ah	184Wh/12.8Ah
Max output	100W, 8A							
Dimension(mm)	168x93x60	168x93x60	168x101x60	168x101x60	168x93x65	168x93x65	168x101x65	168x101x65
Mass(g)	900		1250	1270	900		1250	1270

**SWIT Electronics Co., Ltd.**

Website: [www.swit.cc](http://www.swit.cc)  
 Email: [contact@swit.cc](mailto:contact@swit.cc)  
 Tel: +86 25 85805753  
 Fax: +86 25 85805296

Distributed by:



## Shipping Instructions for SWIT Separable Batteries

### Transport within Passenger Baggage (Extract from IATA DGR 54th SECTION II)

#### 2.3.5 Goods Acceptable without the Operator's Approval

Dangerous goods, as listed in 2.3.5.1 through 2.3.5.11, are permitted on aircraft as baggage without the approval of the operator(s).

##### 2.3.5.9.1 Portable electronic devices

Watches, calculating machines, cameras, cellular phones, lap-top computers, cam-corders, etc. containing batteries when carried by passengers or crew for personal use, which should be carried in carry-on baggage. Spare batteries must be individually protected to prevent short circuits by placement in the original retail packaging or by otherwise insulating terminals, e.g. by taping overexposed terminals or placing each battery in a separate plastic bag or protective pouch, and carried in carry-on baggage only.

In addition, for lithium batteries, each installed or spare battery must not exceed the following:

- (a) for lithium metal or lithium alloy batteries, a lithium content of not more than 2 g; or
- (b) for lithium ion batteries, a watt-hour rating of not more than 100 Wh.

**To meet this regulation, please only carry SWIT Lithium-ion batteries as carry-on baggage, and divide each battery into two parts before carrying them onto the airplane.**

### SHIPPING BY AIR Cargo

When shipped by air cargo, SWIT Lithium-ion batteries are relevant to Packing Instruction 965 Section II, Additional Requirements - Section II, Overpacks - Section II.

Reference page 555 of IATA 54th Edition Book.

When shipped or packed with equipment, SWIT Lithium-ion batteries are relevant to Packing Instruction 966 Section II, Additional Requirements - Section II, Overpacks - Section II.

Reference page 557/558 of IATA 54th Edition Book.

- ◆ Please divide the separable batteries into two parts before shipping, as each part is under 100Wh. Make sure each battery part is well protected.
- ◆ SWIT batteries have passed UN Manual of Tests and Criteria, Part III, Subsection 38.3.
- ◆ All SWIT batteries have Wh rating marked on the outside of the battery case.
- ◆ SWIT Batteries and packaging are capable of withstanding a 1.2m drop test.
- ◆ No Dangerous Goods Training required.
- ◆ Please contact SWIT before shipping for any necessary documents.

**SWIT Electronics Co., Ltd.**

Website: [www.swit.cc](http://www.swit.cc)  
Email: [contact@swit.cc](mailto:contact@swit.cc)  
Tel: +86 25 85805753  
Fax: +86 25 85805296

Distributed by:











**SWIT**®

S-8152A  
14.4V / Double 73Wh, 4.4Ah  
Li-ion Battery



Note: Please split the battery into  
2 parts when boarding the airplane.

SWIT ELECTRONICS CO., LTD.  
www.swit.cc





**SWIT**®

**S-8152A**

14.4V / Double 73Wh, 4.4Ah

Li-ion Battery



Note: Please split the battery into 2 parts when boarding the airplane.

SWIT ELECTRONICS CO., LTD.  
www.swit.cc