() f SWIT America SWIT Global Log-in ▶ 1 Product About us & Contact News **Applications Cases** Where to Buy Support Home > Battery > DV

S-8823 | JVC HM100 DV Camcorder Battery Pack



Features Specifications Download

Optional accessory

What's in box

JVC

Related

JVC BN-VF823 Comparable Battery

Display remaining power info



With 7.2V nominal voltage, the S-8823 has 18Wh / 2.5Ah capacity, and can run approx 2 hours on JVC GY-HM100 camcorder when LCD monitor is on.



0-G-0

TUO DO




Build-in Pole-tap DC Output Socket

A 5.5/2.1mm pole-tap DC output socket is equipped on the side of S-8823 battery, for DC 7.2V (Nominate) connection. You can connect on-camera LED light, monitor or wireless transmitter on the pole-tap socket, and get power simultaneously with camera. The Max power from the pole-tap is

4-level LED Power Indicator

The S-8823 battery has the 4-level LED power indicators to check the battery remaining capacity. You can get a quick view of capacity before using.





Easy Charging


The S-8823 can be charged on SWIT Dual channel charger S-3602V or SWIT 4-ch charger LC-D421. It takes about 2 hours to charge from empty to 100%.

SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9, 41460 Neuss, NRW Germany VAT: DE308323924 WEEE-Reg.-Nr. DE 37399843 Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.



leave a message







