

Home > Battery > DV

S-8845 | Canon BP Series DV Camcorder Battery Pack



- > Li-ion battery pack of 7.2V nominal voltage
- > Comparable to Canon BP-955
- > RED KOMODO Compatible
- > 47Wh / 6.6Ah capacity
- > 4-level LED power indicator
- > 7.2V Pole-tap DC output
- > Multiple circuit protections



 MSRP Ex TAX / Shipping

Features Specifications Download What's in box Optional accessory Related



Canon BP series Replacement battery RED KOMODO Compatible

S-8845 is the replacement battery for Canon BP series BP-955, compatible with RED KOMODO and Canon XF100/105 and EOS C100, C100MK2, C300, C500 cameras.



47Wh / 6.6Ah Capacity

With 7.2V nominal voltage, the S-8845 has 47Wh / 6.6Ah capacity, and can run approx 7 hours on XF105 when LCD monitor is on, and approx 4.5 hours on Canon EOS C300.

Build-in Pole-tap DC Output Socket

A 5.5/2.1mm pole-tap DC output socket is equipped on the side of S-8845 battery, for DC 7.2V (Nominate) connection. You can connect on-camera LED light, monitor or wireless transmitter on the pole-tap socket, and get power simultaneously with camera. The Max power from the pole-tap is 30W, 4A.



4-level LED Power Indicator

The S-8845 battery has the 4-level LED power indicators to check the battery remaining capacity. You can get a quick view of capacity before using.

Easy Charging

The S-8845 can be charged on SWIT Dual channel charger S-3602C or SWIT 4-ch charger LC-D421. It takes about 4 hours and 30 minutes to charge from empty to 100%.



SWIT Electronics Europe GmbH

Heerdterbuschstrasse 10 / HALLE 9,
41460 Neuss, NRW Germany
VAT: DE308323924
WEEE-Reg.-Nr. DE 37399843
Email: info@swit-europe.com

Email Newsletter

Please enter Email address below and subscribe our newsletters.

[Privacy Policy](#)

[leave a message](#)







SWIT[®] MODEL: S-8845
Li-ion BATTERY PACK 7.2V 6.6Ah(47Wh)

CAUTION
• DO NOT INCINERATE.
• DO NOT EXPOSE TO HIGHTEMPERATURES. (140F)
• DO NOT DISASSEMBLE.
SWIT Electronics Co., Ltd. MADE IN CHINA



